

Ytelseserklæring

Akustikkgips FON+ C8/18 BA nr. 8

I overensstemmelse med forordning (EU) nr. 305/2011

Nummer: DCE4001 EN V6 1/1

1.	Entydig identifikasjonskode for produkttypen	Pladur FON+ FON - P-13 - EN 14190
2.	Produsent	Pladur Gypsum S.A.U • Ctra. de Andalucia Km. 30,2 • 28343 Valdemoro (Madrid) • Spania
2.	Tilsiktet bruk	Til gipsplate himlingssystem
4.	System for vurdering og verifikasjon av ytelsenes konstans	3/4
5.	Notifisert organ Navn og nummer Test utført Evalueringsystem Dokument utstedt og dato for utstedelse	APPLUS /LGAI Technological Center, S.A. nQ : 0370 Testet for reaksjon på brann 3 Exp. NQ 15/11394-3063 Fecha: 20-02-2021
6.	Deklarert ytelse	
	Vesentlige egenskaper	Verdi Harmoniseret standard
	Reaksjon på brann	A2-s1, d0 EN 13501-1:2007+Al:2009
	Skjærstyrke	NPD NPD
	Stabilitet for himlingselementer	NPD NPD
	Vanndampgjennomtrengelighet	NPD NPD
	Bøystyrke Tverretning	Pass EN 14190:2014
	Lengderetning	Pass
	Termisk motstand	0,25 W/mK EN 12524:2000
	Direkte luftlydisolasjon	Se teknisk dokumentasjon -
	Slagfasthet	
	Akustisk absorpsjon	

Alle essensielle egenskaper beskrevet i første kolonne i denne tabellen tilsvarer de som er beskrevet i standarden EN 14190:2014.
Ytelsen til produktet identifisert i punkt 1 er i samsvar med den deklarete ytelsen i punkt 6.
Ytelseserklæringer er utstedet under det fulle ansvaret til produsenten identifisert i punkt 2.

Underskrevet for og på vegne av produsenten av:

Se engelsk versjon, neste side

Navn og stilling

Sted og utstedelsesdato

Underskrift



BMC
www.bmc-norge.no

Kilengaten 1, Inng. A, 3. etasje
3117 Tønsberg

T: 33 30 03 90
bmc@bmc-norge.no

1. Name and identification code:

PLADUR FON+

FON - P-13 - EN 14190

2. Name and manufacturer address:

PLADUR GYPSUM S.A.U.

Ctra. de Andalucía Km. 30,2 28343 Valdemoro (Madrid) – Spain

3. Intended use: Use in plasterboard systems

4. System of assessment and verification of constancy of performances: 3/4

5. Notified body:

Name and number	APPLUS /LGAI Technological Center, S.A. nº : 0370
Task performed	Test reaction to fire
Evaluation system	3
Document issued and date of issue	Exp. Nº 15/11394-3063 Fecha: 20-02-2021

6. Declared performance:


Essential characteristics	Performances	Harmonized Technical Specification
Reaction to fire	A2-s1, d0	EN 13501-1:2007+A1:2009
Shear strength	NPD	NPD
Stability of ceiling elements	NPD	NPD
Water vapour permeability	NPD	NPD
Flexural strength longitudinal	Pass	EN 14190:2014
Flexural strength transversal	Pass	
Thermal resistance	0,25	EN 12524:2000
Direct airborne sound insulation	See technical documentation	--
Impact resistance		
Acoustic absorption		

All essential characteristics described in the first column of this table correspond to those described in the standard EN 14190:2014.

The performance of the product identified in paragraph 1 is in conformity with the declared performance in point 6.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.

Valdemoro 30th March 2021



Enrique Ramírez
General Manager
PLADUR GYPSUM, S.A.U.